ELSEVIER

Journal of Organometallic Chemistry 510 (1996) 301–302

Journal of Organometallic Chemistry

Author Index of Volume 510

Ahlgrén, M., 37
Akita, M., 255
Al-Juaid, S.S., 142
Al-Masri, H., 109
Almansour, A.I., 117
Ang, H.G., 13
Ang, S.G., 13
Ara, I., 63

Barnett, N.D.R., 297
Barry, S.T., 103
Bauer, C.B., 83
Berenguer, J.R., 63
Bőcskei, Zs., 93
Brunner, H., 291

Cadierno, V., 207
Calhorda, M.J., 71
Canty, A.J., 281
Cecconi, F., 153
Cervantes, J., 57
Cervantes-Lee, F., 57
Chan, S., 219
Chauhan, M., 173
Cho, S.G., 25
Christou, V., 157
Chuit, C., 173
Clegg, W., 297
Corriu, R.J.P., 173

Declercq, J.-P., 173
Drew, M.G.B., 213
Du, S.W., 13
Dubourg, A., 173

Eaborn, C., 142
Esmadi, F.T., 109

Fernández, A., 51
Fernández, J.J., 51
Finocchiaro, P., 287
Fischer, R.D., 197
Floriani, C., 45
Forniés, J., 63
Fritsche, S.D., 281

Gafoor, M.A., 233
Gamasa, M.P., 207
García, M.P., 189
Gayoso, M., 51
Gehart, G., 291
Ghilardi, C.A., 153

Gilbert, T.M., 83
Gimeno, J., 207
Goto, M., 121
Grigoriev, E.V., 287

Hadley, F.J., 83
Hamada, Y., 1
Honeyman, R.T., 281
Huang, L.-r., 7
Huttner, G., 109
Hutton, A.T., 233

Ikarugi, M., 121

Jibril, I., 109
Jiménez, M.V., 189
Jin, H., 281

Kallinen, K.O., 37
Kapoor, R.N., 57
Klyuchnikov, V.A., 263
Knausz, D., 93
Kubicki, M.M., 291
Kyushin, S., 121

Lalinde, E., 63
Lastra, E., 207
Lee, S.-M., 219
Lehrl, E., 291
Lickiss, P.D., 142, 167
Lin, Z., 219
López Torres, M., 51
Lorberth, J., 287
Lovász, Cs., 93
Lu, S.-j., 7
Lucas, D., 291
Lucas, R., 167
Luderer, F., 181
Luengo, T., 189

Maddock, S.M., 267
Marenkova, L.I., 263
Massa, W., 287
Matsumoto, H., 121
Meier, W., 291
Midollini, S., 153
Moreno, M.T., 63
Morooka, Y., 255
Moss, J.R., 233
Motoyama, I., 243
Mugnier, Y., 291

Mulvey, R.E., 297

Nuber, B., 291

Oehme, H., 181
O'Neil, P.A., 297
Orlandini, A., 153
Oro, L.A., 189
Osella, D., 45

Pakkanen, T.A., 37
Pakkanen, T.T., 37
Pannell, K.H., 57
Pereira, M.T., 51
Petrosyan, V.S., 287

Ramirez-Oliva, E., 57
Ravera, M., 45
Reed, D., 297
Reinke, H., 181
Reyé, C., 173
Rheingold, A.L., 13
Richeson, D.S., 103
Rickard, C.E.F., 267
Rivero, B.E., 51
Rogers, R.D., 83
Roper, W.R., 267

Sano, H., 243
Shimizu, H., 1
Siebel, E., 197
Simmons, M.D., 83
Skelton, B.W., 281
Smith, J.D., 142
Sohár, P., 93
Solari, E., 45
Sow, B.H., 13
Stehr, J., 197
Steudel, A., 197
Stubenhofer, B., 291
Szakács, L., 93
Szalay, R., 93

Tabatabaeian, K., 135
Takatsuna, K., 121
Tanaka, M., 255
Tavakkoli, K., 142
Terada, M., 255

Újszászy, K., 93

Elsevier Science S.A.

Vacca, A., 153
Veiros, L.F., 71
Vila, J.M., 51
Voronkov, M.G., 263

Wachter, J., 291
Wang, H.-q., 7
Wang, X.-d., 7
Watanabe, M., 243
Webb, A.D., 142
Wei, F.-p., 7
White, A.H., 281
White, C., 135
Willey, G.R., 213
Wocadlo, S., 287
Wong, W.-T., 219
Woodman, T.J., 213
Wright, L.J., 267

Yamamoto, Y., 1
Yashina, N.S., 287
Young, G.B., 157

Zsolnai, L., 109

ELSEVIER

Journal of Organometallic Chemistry 510 (1996) 303–309

Journal of Organometallic Chemistry

Subject Index of Volume 510

Ab initio
Unimolecular rearrangement of α-silylcarbenium ions. An ab initio study (S.G. Cho), 25
Acetylacetonate
Cyclometallated compounds of palladium(II) with a 2,4-pentanedionate: the X-ray crystal structure of $[Pd\{4\text{-}(CHO)C_6H_3C(H)=NCy\}(H_3CCOCHCOCH_3)]$ (J.M. Vila, M. Gayoso, M.T. Pereira, M. López Torres, J.J. Fernández, A. Fernández and B.E. Rivero), 51
Alkyls
Preparation and characterization of mixed alkyl amido complexes of gallium (S.T. Barry and D.S. Richeson), 103
Alkynyl
Photochemical reactions of alkynyl iron (II) complexes with carbon disulfide. Insertion of CS_2 into an iron–C(sp) bond (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), 207
Synthesis and characterization of cationic heteronuclear complexes of platinum(II) and silver(I) bridged by alkynyl ligands (I. Ara, J.R. Berenguer, J. Forniés, E. Lalinde and M.T. Moreno), 63
Amines
Preparation and characterization of mixed alkyl amido complexes of gallium (S.T. Barry and D.S. Richeson), 103
Aqua complex
Oxidation of organometallic complexes by water: Synthesis of diorgano(hydroxo)platinum(IV) complexes and the structure of a diorgano(aqua)platinum(IV) complex of tris(pyridin-2-yl)methanol, $[PtPh_2\{(py)_3COH\text{-}N,N',N''\}(OH_2)][NO_3]_2 \cdot H_2O$ (A.J. Canty, S.D. Fritsche, H. Jin, R.T. Honeyman, B.W. Skelton and A.H. White), 281
Arene complexes
Syntheses and structures of bis(tricarbonylchromium)-substituted α,ω-diphenylhexatriene complexes (T.M. Gilbert, F.J. Hadley, M.D. Simmons, C.B. Bauer and R.D. Rogers), 83

Bissilylation
Novel method for preparing bis(trimethylsilyl)amines via treatment with trimethylsilylamines and methyl iodide (Y. Hamada, Y. Yamamoto and H. Shimizu), 1
Bis(trifluoromethyl)phosphine
Reactions of tetrakis(trifluoromethyl)diphosphine and bis(trifluoromethyl)phosphine with ruthenium carbonyl clusters; X-ray structure of tetraruthenium carbonyl cluster derivatives (H.G. Ang, S.G. Ang, S.W. Du, B.H. Sow and A.L. Rheingold), 13
Bis(trimethylsilyl)amine
Novel method for preparing bis(trimethylsilyl)amines via treatment with trimethylsilylamines and methyl iodide (Y. Hamada, Y. Yamamoto and H. Shimizu), 1
Bond energy
Thermochemistry of organosilicon compounds. VII. Permethylcyclosilazanes and 1,1,3,3-tetramethyldisilazane (M.G. Voronkov, V.A. Klyuchnikov and L.I. Marenkova), 263

Bond lengths and strengths
How bridging ligands and neighbouring groups tune the gold–gold bond strength (L.F. Veiros and M.J. Calhorda), 71
Bridging ligands
How bridging ligands and neighbouring groups tune the gold–gold bond strength (L.F. Veiros and M.J. Calhorda), 71
Synthesis and structural characterization of $(\mu\text{-}H)_2Ru_3(CO)_8(\mu_3\text{-}\eta^2\text{-}C_8H_{12})$ and $(\mu\text{-}H)Ru_3(CO)_9(\mu_3\text{-}\eta^3\text{-}C_{12}H_{19})$ (K.O. Kallinen, M. Ahlgrén, T.T. Pakkanen and T.A. Pakkanen), 37
Bulky ligands
Preparation, spectroscopic properties and thermal stabilities of organomercury compounds containing the bulky ligand $(Me_3Si)_3C$ or $(PhMe_2Si)_3C$ (S.S. Al-Juaid, C. Eaborn, P.D. Lickiss, J.D. Smith, K. Tavakkoli and A.D. Webb), 142
sec Butyl
Selective crystallization of di-*sec*-butylmagnesium. *N,N,N',N'*-tetramethylethylenediamine from solutions containing mixtures of normal-butyl and secondary-butyl isomers (N.D.R. Barnett, W. Clegg, R.E. Mulvey, P.A. O'Neil and D. Reed), 297

Carbamate
Preparation, crystal structure and thermal decomposition study of some trimethylsilyl esters of dicarbamic acids (R. Szalay, Zs. Böcskei, D. Knausz, Cs. Lovász, K. Újszászy, L. Szakács and P. Sohár), 93
Carbonyl
Organoruthenium chalcogen complexes: synthesis of *tert*-butylcyclopentadienyl dicarbonyl ruthenium thio- and seleno-carboxylate complexes and crystal structure determination of $(^tBu\text{-}C_5H_4)Ru(CO)_2SCO(3\text{-}NO_2\text{-}C_6H_4)$ and $(^tBu\text{-}C_5H_4)Ru(CO)_2SeCO(3,5\text{-}(NO_2)_2\text{-}C_6H_3)$ (I. Jibril, F.T. Esmadi, H. Al-Masri, L. Zsolnai and G. Huttner), 109
Some additional aspects of versatile starting compounds for cationic organoiron complexes: molecular structure of the aqua complex $[(\eta^5\text{-}C_5Me_4Et)Fe(CO)_2(OH_2)]BF_4$ and solution behavior of the THF complex $[(\eta^5\text{-}C_5R_5)Fe(CO)_2(THF)]BF_4$ (M. Akita, M. Terada, M. Tanaka and Y. Morooka), 255
Syntheses, structures and reactivities of $[Os_6Pd(CO)_{18}(bipy)]$ and $[\{(bipy)Pd\}_2Os_3(CO)_{12}]$: crystal and molecular structures of $[\{(bipy)Pd\}_2(\mu\text{-}H)(\mu\text{-}CO)][H_3Os_4(CO)_{12}]$ and $[(C_4H_9)_4N]_2[Pd_2I_6]$ (S. Chan, S.-M. Lee, Z. Lin and W.-T. Wong), 219
The chemistry of compounds of the type $Ru(\eta^5\text{-}C_5Me_4Et)(CO)_2X$ (X = Cl, Br or I) (K. Tabatabaeian and C. White), 135
Carbonyls
Synthesis and structure of the iron-substituted silylacetylene $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2$ and its cobalt hexacarbonyl derivative $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2 \cdot Co_2(CO)_6$ (E. Ramirez-Oliva, J. Cervantes, F. Cervantes-Lee, R.N. Kapoor and K.H. Pannell), 57
Cationic
Halide abstraction as a route to cationic molybdenum(IV) compounds: crystal and molecular structure of $[CpMoCl(MeCN)_4][SbCl_6]_2 \cdot MeCN$ (G.R. Willey, T.J. Woodman and M.G.B. Drew), 213

Elsevier Science S.A.

Chalcogen
Organoruthenium chalcogen complexes: synthesis of *tert*-butylcyclopentadienyl dicarbonyl ruthenium thio- and seleno-carboxylate complexes and crystal structure determination of (^{t}Bu-C_5H_4)Ru(CO)$_2$SCO(3-NO_2-C_6H_4) and (^{t}Bu-C_5H_4)Ru(CO)$_2$-SeCO(3,5-$(NO_2)_2$-C_6H_3) (I. Jibril, F.T. Esmadi, H. Al-Masri, L. Zsolnai and G. Huttner), 109
Charge transfer
Dibenzo[*b*,*e*]-7,7,8,8-tetraneopentyl- and dibenzo[*b*,*e*]-7,7,8,8-tetraisopropyl-7,8-disilabicyclo[2.2.2]octa-2,5-dienes: interaction with tetracyanoethylene and transition metal chlorides (S. Kyushin, M. Ikarugi, K. Takatsuna, M. Goto and H. Matsumoto), 121
Chirality
Chiroptische Effekte von Lanthanoidorganylen mit optisch aktiven Liganden. III. Erschließung wohldefinierter chiraler Organosamarium(III)-Verbindungen durch Umsetzung von Tris(cyclopentadienyl)samarium mit (1S,2R,5R)-Isomenthol, (R)-(+)-Isobutyllactat und (R)-(+)-Methyl-*p*-tolylsulfoxid (A. Steudel, J. Stehr, E. Siebel und R.D. Fischer), 197
Chloride
Ligand migrations during the formation of some palladium–rhodium heterodinuclear complexes (S.-j. Lu, F.-p. Wei, X.-d. Wang, H.-q. Wang and L.-r. Huang), 7
Chromium
Syntheses and structures of bis(tricarbonylchromium)-substituted α,ω-diphenylhexatriene complexes (T.M. Gilbert, F.J. Hadley, M.D. Simmons, C.B. Bauer and R.D. Rogers), 83
f–f-Circular dichroism
Chiroptische Effekte von Lanthanoidorganylen mit optisch aktiven Liganden. III. Erschließung wohldefinierter chiraler Organosamarium(III)-Verbindungen durch Umsetzung von Tris(cyclopentadienyl)samarium mit (1S,2R,5R)-Isomenthol, (R)-(+)-Isobutyllactat und (R)-(+)-Methyl-*p*-tolylsulfoxid (A. Steudel, J. Stehr, E. Siebel und R.D. Fischer), 197
Clusters
Syntheses, structures and reactivities of [$Os_6Pd(CO)_{18}$(bipy)] and [{(bipy)Pd}$_2Os_3(CO)_{12}$]: crystal and molecular structures of [{(bipy)Pd}$_2$(μ-H)(μ-CO)][$H_3Os_4(CO)_{12}$] and [$(C_4H_9)_4N]_2$-[Pd_2I_6] (S. Chan, S.-M. Lee, Z. Lin and W.-T. Wong), 219
Synthesis and structural characterization of (μ-H)$_2$$Ru_3(CO)_9$($\mu_3$-$\eta^2$-$C_8H_{12}$) and ($\mu$-H)$Ru_3(CO)_9$($\mu_3$-$\eta^3$-$C_{12}H_{19}$) (K.O. Kallinen, M. Ahlgrén, T.T. Pakkanen and T.A. Pakkanen), 37
Cobalt
Synthesis and characterisation of [$(C_5Me_4R)_2NbS_2]_2$M complexes (M = Fe, Co; R = Me, Et): organometallic tetrathiometalates with niobocene ligands (H. Brunner, M.M. Kubicki, G. Gehart, E. Lehrl, D. Lucas, W. Meier, Y. Mugnier, B. Nuber, B. Stubenhofer and J. Wachter), 291
Synthesis and structure of the iron-substituted silylacetylene [(η^5-C_5H_5)Fe(CO)$_2$$SiMe_2C$]$_2$ and its cobalt hexacarbonyl derivative [(η^5-C_5H_5)Fe(CO)$_2$$SiMe_2C$]$_2$ · $Co_2(CO)_6$ (E. Ramirez-Oliva, J. Cervantes, F. Cervantes-Lee, R.N. Kapoor and K.H. Pannell), 57
6-coordination
Crystallographic evidence of hexacoordination at phosphorus via intramolecular coordination of donor groups on phosphane and phosphane sulphide (M. Chauhan, C. Chuit, R.J.P. Corriu, C. Reyé, J.-P. Declercq and A. Dubourg), 173
Crystal structure
Dibenzo[*b*,*e*]-7,7,8,8-tetraneopentyl- and dibenzo[*b*,*e*]-7,7,8,8-tetraisopropyl-7,8-disilabicyclo[2.2.2]octa-2,5-dienes: interaction with tetracyanoethylene and transition metal chlorides (S. Kyushin, M. Ikarugi, K. Takatsuna, M. Goto and H. Matsumoto), 121
Halide abstraction as a route to cationic molybdenum(IV) compounds: crystal and molecular structure of [CpMoCl(MeCN)$_4$][$SbCl_6$]$_2$ · MeCN (G.R. Willey, T.J. Woodman and M.G.B. Drew), 213
Organoruthenium chalcogen complexes: synthesis of *tert*-butylcyclopentadienyl dicarbonyl ruthenium thio- and seleno-carboxylate complexes and crystal structure determination of (^{t}Bu-C_5H_4)Ru(CO)$_2$SCO(3-NO_2-C_6H_4) and (^{t}Bu-C_5H_4)Ru(CO)$_2$-SeCO(3,5-$(NO_2)_2$-C_6H_3) (I. Jibril, F.T. Esmadi, H. Al-Masri, L. Zsolnai and G. Huttner), 109
Oxidation of organometallic complexes by water: Synthesis of diorgano(hydroxo)platinum(IV) complexes and the structure of a diorgano(aqua)platinum(IV) complex of tris(pyridin-2-yl)methanol, [$PtPh_2$((py)$_3$COH-*N*,*N'*,*N''*)(OH_2)][NO_3]$_2$ · H_2O (A.J. Canty, S.D. Fritsche, H. Jin, R.T. Honeyman, B.W. Skelton and A.H. White), 281
Preparation, crystal structure and thermal decomposition study of some trimethylsilyl esters of dicarbamic acids (R. Szalay, Zs. Böcskei, D. Knausz, Cs. Lovász, K. Újszászy, L. Szakács and P. Sohár), 93
Selective crystallization of di-*sec*-butylmagnesium. *N*,*N*,*N'*,*N'*-tetramethylethylenediamine from solutions containing mixtures of normal-butyl and secondary-butyl isomers (N.D.R. Barnett, W. Clegg, R.E. Mulvey, P.A. O'Neil and D. Reed), 297
Seven-coordinate dioxygen complexes from dioxygen addition to five-coordinate σ-phenyl, isocyanide-containing derivatives of ruthenium(II) and osmium(II). Crystal structures of Os(η^2-O_2)(η^2-CPh=N*p*-chlorophenyl)Cl(PPh_3)$_2$ and Os(η^2-SO_4)(η^2-CPh=N*p*-chlorophenyl)Cl(PPh_3)$_2$ (S.M. Maddock, C.E.F. Rickard, W.R. Roper and L.J. Wright), 267
Some additional aspects of versatile starting compounds for cationic organoiron complexes: molecular structure of the aqua complex [(η^5-C_5Me_4Et)Fe(CO)$_2$$(OH_2)$]$BF_4$ and solution behavior of the THF complex [(η^5-C_5R_5)Fe(CO)$_2$(THF)]BF_4 (M. Akita, M. Terada, M. Tanaka and Y. Morooka), 255
Syntheses, structures and reactivities of [$Os_6Pd(CO)_{18}$(bipy)] and [{(bipy)Pd}$_2Os_3(CO)_{12}$]: crystal and molecular structures of [{(bipy)Pd}$_2$(μ-H)(μ-CO)][$H_3Os_4(CO)_{12}$] and [$(C_4H_9)_4N]_2$-[Pd_2I_6] (S. Chan, S.-M. Lee, Z. Lin and W.-T. Wong), 219
Synthesis and structure of 1 : 1 complex of dimethyltin dichloride with *meso*-1,2-bis(*α*-diethoxyphosphorylbenzylamino)ethane (J. Lorberth, S. Wocadlo, W. Massa, E.V. Grigoriev, N.S. Yashina, V.S. Petrosyan and P. Finocchiaro), 287
Synthesis, characterization and structure of the ethylene-bridged dimer [Cp(CO)$_2$$RuCH_2CH_2$Ru(CO)$_2$Cp] and comparison of its reactivity with that of [Cp(CO)$_2$$RuCH_2CH_3$] and [Cp(CO)$_2$$Ru(CH_2)_5$-Ru(CO)$_2$Cp]: models for Fischer–Tropsch surface intermediates (M.A. Gafoor, A.T. Hutton and J.R. Moss), 233
CS_2 insertion
Photochemical reactions of alkynyl iron (II) complexes with carbon disulfide. Insertion of CS_2 into an iron–C(sp) bond (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), 207
Cyanide
Ligand migrations during the formation of some palladium–rhodium heterodinuclear complexes (S.-j. Lu, F.-p. Wei, X.-d. Wang, H.-q. Wang and L.-r. Huang), 7
Cyclododecene
Synthesis and structural characterization of (μ-H)$_2$$Ru_3(CO)_9$($\mu_3$-$\eta^2$-$C_8H_{12}$) and ($\mu$-H)$Ru_3(CO)_9$($\mu_3$-$\eta^3$-$C_{12}H_{19}$) (K.O. Kallinen, M. Ahlgrén, T.T. Pakkanen and T.A. Pakkanen), 37
Cyclometallation
Cyclometallated compounds of palladium(II) with a 2,4-pentanedionate: the X-ray crystal structure of [Pd{4-(CHO)C_6H_3C-

$\overline{(H)=NCy}(H_3CCOCHCOCH_3)$] (J.M. Vila, M. Gayoso, M.T. Pereira, M. López Torres, J.J. Fernández, A. Fernández and B.E. Rivero), 51

Cyclooctene
Synthesis and structural characterization of (μ-H)$_2$Ru$_3$(CO)$_9$(μ_3-η^2-C_8H_{12}) and (μ-H)Ru$_3$(CO)$_9$(μ_3-η^3-$C_{12}H_{19}$) (K.O. Kallinen, M. Ahlgrén, T.T. Pakkanen and T.A. Pakkanen), 37

Cyclopentadienyl
Halide abstraction as a route to cationic molybdenum(IV) compounds: crystal and molecular structure of [CpMoCl(MeCN)$_4$][SbCl$_6$]$_2$ · MeCN (G.R. Willey, T.J. Woodman and M.G.B. Drew), 213
Organoruthenium chalcogen complexes: synthesis of *tert*-butylcyclopentadienyl dicarbonyl ruthenium thio- and seleno-carboxylate complexes and crystal structure determination of (^{t}Bu-C_5H_4)Ru(CO)$_2$SCO(3-NO$_2$–C$_6$H$_4$) and (^{t}Bu-C_5H_4)Ru(CO)$_2$-SeCO(3,5-(NO$_2$)$_2$–C$_6$H$_3$) (I. Jibril, F.T. Esmadi, H. Al-Masri, L. Zsolnai and G. Huttner), 109
Synthesis, characterization and structure of the ethylene-bridged dimer [Cp(CO)$_2$RuCH$_2$CH$_2$Ru(CO)$_2$Cp] and comparison of its reactivity with that of [Cp(CO)$_2$RuCH$_2$CH$_3$] and [Cp(CO)$_2$Ru(CH$_2$)$_5$-Ru(CO)$_2$Cp]: models for Fischer–Tropsch surface intermediates (M.A. Gafoor, A.T. Hutton and J.R. Moss), 233

Cyclopentadienyls
Synthesis and structure of the iron-substituted silylacetylene [(η^5-C_5H_5)Fe(CO)$_2$SiMe$_2$C]$_2$ and its cobalt hexacarbonyl derivative [(η^5-C_5H_5)Fe(CO)$_2$SiMe$_2$C]$_2$ · Co$_2$(CO)$_6$ (E. Ramirez-Oliva, J. Cervantes, F. Cervantes-Lee, R.N. Kapoor and K.H. Pannell), 57

Cycloreversion
Dibenzo[*b*,*e*]-7,7,8,8-tetraneopentyl- and dibenzo[*b*,*e*]-7,7,8,8-tetraisopropyl-7,8-disilabicyclo[2.2.2]octa-2,5-dienes: interaction with tetracyanoethylene and transition metal chlorides (S. Kyushin, M. Ikarugi, K. Takatsuna, M. Goto and H. Matsumoto), 121

Dioxygen complexes
Seven-coordinate dioxygen complexes from dioxygen addition to five-coordinate σ-phenyl, isocyanide-containing derivatives of ruthenium(II) and osmium(II). Crystal structures of Os(η^2-O$_2$)-(η^2-CPh=N *p*-chlorophenyl)Cl(PPh$_3$)$_2$ and Os(η^2-SO$_4$)(η^2-CPh=N *p*-chlorophenyl)Cl(PPh$_3$)$_2$ (S.M. Maddock, C.E.F. Rickard, W.R. Roper and L.J. Wright), 267

Diphenylhexatriene
Syntheses and structures of bis(tricarbonylchromium)-substituted α,ω-diphenylhexatriene complexes (T.M. Gilbert, F.J. Hadley, M.D. Simmons, C.B. Bauer and R.D. Rogers), 83

Diphosphine
Ligand migrations during the formation of some palladium–rhodium heterodinuclear complexes (S.-j. Lu, F.-p. Wei, X.-d. Wang, H.-q. Wang and L.-r. Huang), 7

1,2-Disilacyclobutanes
Generation and conversion of the transient 1,1-bis(trimethylsilyl)-2-(2,4,6-triisopropylphenyl)-silene (F. Luderer, H. Reinke and H. Oehme), 181

Electrochemistry
Electrochemical behaviour of some polyoxo clusters (D. Osella, M. Ravera, C. Floriani and E. Solari), 45

Enthalpy of formation
Thermochemistry of organosilicon compounds. VII. Permethylcyclosilazanes and 1,1,3,3-tetramethyldisilazane (M.G. Voronkov, V.A. Klyuchnikov and L.I. Marenkova), 263

Ethylene
Synthesis, characterization and structure of the ethylene-bridged dimer [Cp(CO)$_2$RuCH$_2$CH$_2$Ru(CO)$_2$Cp] and comparison of its reactivity with that of [Cp(CO)$_2$RuCH$_2$CH$_3$] and [Cp(CO)$_2$Ru(CH$_2$)$_5$-Ru(CO)$_2$Cp]: models for Fischer–Tropsch surface intermediates (M.A. Gafoor, A.T. Hutton and J.R. Moss), 233

Ethyltetramethylcyclopentadienyl
The chemistry of compounds of the type Ru(η^5-C$_5$Me$_4$Et)(CO)$_2$X (X = Cl, Br or I) (K. Tabatabaeian and C. White), 135

Extended Hückel calculations
How bridging ligands and neighbouring groups tune the gold–gold bond strength (L.F. Veiros and M.J. Calhorda), 71

Ferrocene
Molecular structure of some [1.1]ferrocenylruthenocenophanium^{n+} (n = 1, 2) polyiodides salts (M. Watanabe, I. Motoyama and H. Sano), 243

Fischer–Tropsch
Synthesis, characterization and structure of the ethylene-bridged dimer [Cp(CO)$_2$RuCH$_2$CH$_2$Ru(CO)$_2$Cp] and comparison of its reactivity with that of [Cp(CO)$_2$RuCH$_2$CH$_3$] and [Cp(CO)$_2$Ru(CH$_2$)$_5$-Ru(CO)$_2$Cp]: models for Fischer–Tropsch surface intermediates (M.A. Gafoor, A.T. Hutton and J.R. Moss), 233

Fluorination
Rate increases in the fluorination of bulky chlorosilanes caused by ultrasound or by water (P.D. Lickiss and R. Lucas), 167

Gallium
Preparation and characterization of mixed alkyl amido complexes of gallium (S.T. Barry and D.S. Richeson), 103

Gaussian calculations
Unimolecular rearrangement of α-silylcarbenium ions. An ab initio study (S.G. Cho), 25

Germanium
Syntheses, spectroscopic characteristics and thermolytic rearrangements of bis-[(trimethylgermyl)methyl]platinum(II) and bis-[(trimethylstannyl)methyl]platinum(II) complexes (V. Christou and G.B. Young), 157

Gold
How bridging ligands and neighbouring groups tune the gold–gold bond strength (L.F. Veiros and M.J. Calhorda), 71

Group 14
Dibenzo[*b*,*e*]-7,7,8,8-tetraneopentyl- and dibenzo[*b*,*e*]-7,7,8,8-tetraisopropyl-7,8-disilabicyclo[2.2.2]octa-2,5-dienes: interaction with tetracyanoethylene and transition metal chlorides (S. Kyushin, M. Ikarugi, K. Takatsuna, M. Goto and H. Matsumoto), 121

Halide
Some additional aspects of versatile starting compounds for cationic organoiron complexes: molecular structure of the aqua complex [(η^5-C$_5$Me$_4$Et)Fe(CO)$_2$(OH$_2$)]BF$_4$ and solution behavior of the THF complex [(η^5-C$_5$R$_5$)Fe(CO)$_2$(THF)]BF$_4$ (M. Akita, M. Terada, M. Tanaka and Y. Morooka), 255

Halide abstraction
Halide abstraction as a route to cationic molybdenum(IV) compounds: crystal and molecular structure of [CpMoCl(MeCN)$_4$][SbCl$_6$]$_2$ · MeCN (G.R. Willey, T.J. Woodman and M.G.B. Drew), 213

Heterobimetallics
Ligand migrations during the formation of some palladium–rhodium heterodinuclear complexes (S.-j. Lu, F.-p. Wei, X.-d. Wang, H.-q. Wang and L.-r. Huang), 7

Heteronuclear bridged species
Homo- and hetero-bridged mixed-valence dinuclear complexes which contain the fragment 'Rh(C$_6$F$_5$)$_3$' (M.P. García, M.V. Jiménez, T. Luengo and L.A. Oro), 189

Hindered (bulky) ligands
Preparation and lithiation of tris(o-tolyldimethylsilyl)methane (A.I. Almansour), 117

Homonuclear bridged species
Homo- and hetero-bridged mixed-valence dinuclear complexes which contain the fragment 'Rh(C_6F_5)$_3$' (M.P. García, M.V. Jiménez, T. Luengo and L.A. Oro), 189
Hydroxo
Oxidation of organometallic complexes by water: Synthesis of diorgano(hydroxo)platinum(IV) complexes and the structure of a diorgano(aqua)platinum(IV) complex of tris(pyridin-2-yl)methanol, [PtPh$_2$((py)$_3$COH-*N*,*N'*,*N''*)(OH$_2$)][NO$_3$]$_2$ · H$_2$O (A.J. Canty, S.D. Fritsche, H. Jin, R.T. Honeyman, B.W. Skelton and A.H. White), 281

Imine
Cyclometallated compounds of palladium(II) with a 2,4-pentanedionate: the X-ray crystal structure of [Pd{4-(CHO)C$_6$H$_3$C(H)=NCy}(H$_3$CCOCHCOCH$_3$)] (J.M. Vila, M. Gayoso, M.T. Pereira, M. López Torres, J.J. Fernández, A. Fernández and B.E. Rivero), 51
Iridium
Homo- and hetero-bridged mixed-valence dinuclear complexes which contain the fragment 'Rh(C_6F_5)$_3$' (M.P. García, M.V. Jiménez, T. Luengo and L.A. Oro), 189
Iron
Molecular structure of some [1.1]ferrocenylruthenocenophanium^{n+} (n = 1, 2) polyiodides salts (M. Watanabe, I. Motoyama and H. Sano), 243
Some additional aspects of versatile starting compounds for cationic organoiron complexes: molecular structure of the aqua complex [(η^5-C$_5$Me$_4$Et)Fe(CO)$_2$(OH$_2$)]BF$_4$ and solution behavior of the THF complex [(η^5-C$_5$R$_5$)Fe(CO)$_2$(THF)]BF$_4$ (M. Akita, M. Terada, M. Tanaka and Y. Morooka), 255
Synthesis and characterisation of [(C$_5$Me$_4$R)$_2$NbS$_2$]$_2$M complexes (M = Fe, Co; R = Me, Et): organometallic tetrathiometalates with niobocene ligands (H. Brunner, M.M. Kubicki, G. Gehart, E. Lehrl, D. Lucas, W. Meier, Y. Mugnier, B. Nuber, B. Stubenhofer and J. Wachter), 291
Synthesis and structure of the iron-substituted silylacetylene [(η^5-C$_5$H$_5$)Fe(CO)$_2$SiMe$_2$C]$_2$ and its cobalt hexacarbonyl derivative [(η^5-C$_5$H$_5$)Fe(CO)$_2$SiMe$_2$C]$_2$ · Co$_2$(CO)$_6$ (E. Ramirez-Oliva, J. Cervantes, F. Cervantes-Lee, R.N. Kapoor and K.H. Pannell), 57
Iron (II)
Photochemical reactions of alkynyl iron (II) complexes with carbon disulfide. Insertion of CS$_2$ into an iron–C(sp) bond (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), 207
Isocyanide complexes
Seven-coordinate dioxygen complexes from dioxygen addition to five-coordinate σ-phenyl, isocyanide-containing derivatives of ruthenium(II) and osmium(II). Crystal structures of Os(η^2-O$_2$)(η^2-CPh=N*p*-chlorophenyl)Cl(PPh$_3$)$_2$ and Os(η^2-SO$_4$)(η^2-CPh=N*p*-chlorophenyl)Cl(PPh$_3$)$_2$ (S.M. Maddock, C.E.F. Rickard, W.R. Roper and L.J. Wright), 267
Isomenthoxide structure
Chiroptische Effekte von Lanthanoidorganylen mit optisch aktiven Liganden. III. Erschließung wohldefinierter chiraler Organosamarium(III)-Verbindungen durch Umsetzung von Tris(cyclopentadienyl)samarium mit (1S,2R,5R)-Isomenthol, (R)-(+)-Isobutyllactat und (R)-(+)-Methyl-*p*-tolylsulfoxid (A. Steudel, J. Stehr, E. Siebel und R.D. Fischer), 197

Kinetics
Syntheses, spectroscopic characteristics and thermolytic rearrangements of bis-[(trimethylgermyl)methyl]platinum(II) and bis-[(trimethylstannyl)methyl]platinum(II) complexes (V. Christou and G.B. Young), 157

Magnesium
Selective crystallization of di-*sec*-butylmagnesium. *N*,*N*,*N'*,*N'*-tetramethylethylenediamine from solutions containing mixtures of normal-butyl and secondary-butyl isomers (N.D.R. Barnett, W. Clegg, R.E. Mulvey, P.A. O'Neil and D. Reed), 297
Mechanism
Syntheses, spectroscopic characteristics and thermolytic rearrangements of bis-[(trimethylgermyl)methyl]platinum(II) and bis-[(trimethylstannyl)methyl]platinum(II) complexes (V. Christou and G.B. Young), 157
Mercury
Preparation, spectroscopic properties and thermal stabilities of organomercury compounds containing the bulky ligand (Me$_3$Si)$_3$C or (PhMe$_2$Si)$_3$C (S.S. Al-Juaid, C. Eaborn, P.D. Lickiss, J.D. Smith, K. Tavakkoli and A.D. Webb), 142
Metallocenes
Molecular structure of some [1.1]ferrocenylruthenocenophanium^{n+} (n = 1, 2) polyiodides salts (M. Watanabe, I. Motoyama and H. Sano), 243
Metal–metal bonds
How bridging ligands and neighbouring groups tune the gold–gold bond strength (L.F. Veiros and M.J. Calhorda), 71
Methyl–mercury
Symmetrization of methylmercury(II) and phenylmercury(II) salts induced by the tripodal ligand N(CH$_2$CH$_2$PPh$_2$)$_3$ (F. Cecconi, C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca), 153
Molecular mechanics
Unimolecular rearrangement of α-silylcarbenium ions. An ab initio study (S.G. Cho), 25
Molybdenum(IV)
Halide abstraction as a route to cationic molybdenum(IV) compounds: crystal and molecular structure of [CpMoCl(MeCN)$_4$][SbCl$_6$]$_2$ · MeCN (G.R. Willey, T.J. Woodman and M.G.B. Drew), 213

Niobocene
Synthesis and characterisation of [(C$_5$Me$_4$R)$_2$NbS$_2$]$_2$M complexes (M = Fe, Co; R = Me, Et): organometallic tetrathiometalates with niobocene ligands (H. Brunner, M.M. Kubicki, G. Gehart, E. Lehrl, D. Lucas, W. Meier, Y. Mugnier, B. Nuber, B. Stubenhofer and J. Wachter), 291
NMR spectra
Preparation, spectroscopic properties and thermal stabilities of organomercury compounds containing the bulky ligand (Me$_3$Si)$_3$C or (PhMe$_2$Si)$_3$C (S.S. Al-Juaid, C. Eaborn, P.D. Lickiss, J.D. Smith, K. Tavakkoli and A.D. Webb), 142
Nuclear magnetic resonance
Photochemical reactions of alkynyl iron (II) complexes with carbon disulfide. Insertion of CS$_2$ into an iron–C(sp) bond (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), 207
Selective crystallization of di-*sec*-butylmagnesium. *N*,*N*,*N'*,*N'*-tetramethylethylenediamine from solutions containing mixtures of normal-butyl and secondary-butyl isomers (N.D.R. Barnett, W. Clegg, R.E. Mulvey, P.A. O'Neil and D. Reed), 297

Olefin
Synthesis and structural characterization of (μ-H)$_2$Ru$_3$(CO)$_9$(μ_3-η^2-C$_8$H$_{12}$) and (μ-H)Ru$_3$(CO)$_9$(μ_3-η^3-C$_{12}$H$_{19}$) (K.O. Kallinen, M. Ahlgrén, T.T. Pakkanen and T.A. Pakkanen), 37
Organomagnesium
Selective crystallization of di-*sec*-butylmagnesium. *N*,*N*,*N'*,*N'*-tetramethylethylenediamine from solutions containing mixtures of normal-butyl and secondary-butyl isomers (N.D.R. Barnett, W. Clegg, R.E. Mulvey, P.A. O'Neil and D. Reed), 297

Organosamarium complexes
Chiroptische Effekte von Lanthanoidorganylen mit optisch aktiven Liganden. III. Erschließung wohldefinierter chiraler Organosamarium(III)-Verbindungen durch Umsetzung von Tris(cyclopentadienyl)samarium mit (1S,2R,5R)-Isomenthol, (R)-(+)-Isobutyllactat und (R)-(+)-Methyl-*p*-tolylsulfoxid (A. Steudel, J. Stehr, E. Siebel und R.D. Fischer), 197
Osmium
Seven-coordinate dioxygen complexes from dioxygen addition to five-coordinate σ-phenyl, isocyanide-containing derivatives of ruthenium(II) and osmium(II). Crystal structures of $Os(\eta^2\text{-}O_2)(\eta^2\text{-}CPh{=}N\,p\text{-chlorophenyl})Cl(PPh_3)_2$ and $Os(\eta^2\text{-}SO_4)(\eta^2\text{-}CPh{=}N\,p\text{-chlorophenyl})Cl(PPh_3)_2$ (S.M. Maddock, C.E.F. Rickard, W.R. Roper and L.J. Wright), 267
Syntheses, structures and reactivities of $[Os_6Pd(CO)_{18}(bipy)]$ and $[\{(bipy)Pd\}_2Os_3(CO)_{12}]$: crystal and molecular structures of $[\{(bipy)Pd\}_2(\mu\text{-}H)(\mu\text{-}CO)][H_3Os_4(CO)_{12}]$ and $[(C_4H_9)_4N]_2[Pd_2I_6]$ (S. Chan, S.-M. Lee, Z. Lin and W.-T. Wong), 219

Palladium
Cyclometallated compounds of palladium(II) with a 2,4-pentanedionate: the X-ray crystal structure of $[Pd\{4\text{-}(CHO)C_6H_3C(H){=}NCy\}(H_3CCOCHCOCH_3)]$ (J.M. Vila, M. Gayoso, M.T. Pereira, M. López Torres, J.J. Fernández, A. Fernández and B.E. Rivero), 51
Homo- and hetero-bridged mixed-valence dinuclear complexes which contain the fragment '$Rh(C_6F_5)_3$' (M.P. García, M.V. Jiménez, T. Luengo and L.A. Oro), 189
Ligand migrations during the formation of some palladium–rhodium heterodinuclear complexes (S.-j. Lu, F.-p. Wei, X.-d. Wang, H.-q. Wang and L.-r. Huang), 7
Syntheses, structures and reactivities of $[Os_6Pd(CO)_{18}(bipy)]$ and $[\{(bipy)Pd\}_2Os_3(CO)_{12}]$: crystal and molecular structures of $[\{(bipy)Pd\}_2(\mu\text{-}H)(\mu\text{-}CO)][H_3Os_4(CO)_{12}]$ and $[(C_4H_9)_4N]_2[Pd_2I_6]$ (S. Chan, S.-M. Lee, Z. Lin and W.-T. Wong), 219
Pentafluorophenyl
Synthesis and characterization of cationic heteronuclear complexes of platinum(II) and silver(I) bridged by alkynyl ligands (I. Ara, J.R. Berenguer, J. Forniés, E. Lalinde and M.T. Moreno), 63
Permethylcyclosilazanes
Thermochemistry of organosilicon compounds. VII. Permethylcyclosilazanes and 1,1,3,3-tetramethyldisilazane (M.G. Voronkov, V.A. Klyuchnikov and L.I. Marenkova), 263
Permethylcyclosiloxanes
Thermochemistry of organosilicon compounds. VII. Permethylcyclosilazanes and 1,1,3,3-tetramethyldisilazane (M.G. Voronkov, V.A. Klyuchnikov and L.I. Marenkova), 263
Peterson reaction
Generation and conversion of the transient 1,1-bis(trimethylsilyl)-2-(2,4,6-triisopropylphenyl)-silene (F. Luderer, H. Reinke and H. Oehme), 181
Phenyl–mercury
Symmetrization of methylmercury(II) and phenylmercury(II) salts induced by the tripodal ligand $N(CH_2CH_2PPh_2)_3$ (F. Cecconi, C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca), 153
Phosphane
Crystallographic evidence of hexacoordination at phosphorus via intramolecular coordination of donor groups on phosphane and phosphane sulphide (M. Chauhan, C. Chuit, R.J.P. Corriu, C. Reyé, J.-P. Declercq and A. Dubourg), 173
Phosphane sulfide
Crystallographic evidence of hexacoordination at phosphorus via intramolecular coordination of donor groups on phosphane and phosphane sulphide (M. Chauhan, C. Chuit, R.J.P. Corriu, C. Reyé, J.-P. Declercq and A. Dubourg), 173
Phosphines
The chemistry of compounds of the type $Ru(\eta^5\text{-}C_5Me_4Et)(CO)_2X$ (X = Cl, Br or I) (K. Tabatabaeian and C. White), 135
Phosphoryl ligand
Synthesis and structure of 1 : 1 complex of dimethyltin dichloride with *meso*-1,2-bis(α-diethoxyphosphorylbenzylamino)ethane (J. Lorberth, S. Wocadlo, W. Massa, E.V. Grigoriev, N.S. Yashina, V.S. Petrosyan and P. Finocchiaro), 287
Photochemistry
Photochemical reactions of alkynyl iron (II) complexes with carbon disulfide. Insertion of CS_2 into an iron–C(sp) bond (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), 207
Platinum
Oxidation of organometallic complexes by water: Synthesis of diorgano(hydroxo)platinum(IV) complexes and the structure of a diorgano(aqua)platinum(IV) complex of tris(pyridin-2-yl)methanol, $[PtPh_2\{(py)_3COH\text{-}N,N',N''\}(OH_2)][NO_3]_2 \cdot H_2O$ (A.J. Canty, S.D. Fritsche, H. Jin, R.T. Honeyman, B.W. Skelton and A.H. White), 281
Syntheses, spectroscopic characteristics and thermolytic rearrangements of bis-[(trimethylgermyl)methyl]platinum(II) and bis-[(trimethylstannyl)methyl]platinum(II) complexes (V. Christou and G.B. Young), 157
Synthesis and characterization of cationic heteronuclear complexes of platinum(II) and silver(I) bridged by alkynyl ligands (I. Ara, J.R. Berenguer, J. Forniés, E. Lalinde and M.T. Moreno), 63
Polyene
Syntheses and structures of bis(tricarbonylchromium)-substituted α,ω-diphenylhexatriene complexes (T.M. Gilbert, F.J. Hadley, M.D. Simmons, C.B. Bauer and R.D. Rogers), 83
Polyoxo clusters
Electrochemical behaviour of some polyoxo clusters (D. Osella, M. Ravera, C. Floriani and E. Solari), 45
Polysilanes
Generation and conversion of the transient 1,1-bis(trimethylsilyl)-2-(2,4,6-triisopropylphenyl)-silene (F. Luderer, H. Reinke and H. Oehme), 181

Reaction mechanisms
Electrochemical behaviour of some polyoxo clusters (D. Osella, M. Ravera, C. Floriani and E. Solari), 45
Rearrangement
Unimolecular rearrangement of α-silylcarbenium ions. An ab initio study (S.G. Cho), 25
Rhodium
Homo- and hetero-bridged mixed-valence dinuclear complexes which contain the fragment '$Rh(C_6F_5)_3$' (M.P. García, M.V. Jiménez, T. Luengo and L.A. Oro), 189
Ligand migrations during the formation of some palladium–rhodium heterodinuclear complexes (S.-j. Lu, F.-p. Wei, X.-d. Wang, H.-q. Wang and L.-r. Huang), 7
Ruthenium
Molecular structure of some [1.1]ferrocenylruthenocenophanium^{n+} (n = 1, 2) polyiodides salts (M. Watanabe, I. Motoyama and H. Sano), 243
Organoruthenium chalcogen complexes: synthesis of *tert*-butylcyclopentadienyl dicarbonyl ruthenium thio- and seleno-carboxylate complexes and crystal structure determination of $(^tBu\text{-}C_5H_4)Ru(CO)_2SCO(3\text{-}NO_2\text{–}C_6H_4)$ and $(^tBu\text{-}C_5H_4)Ru(CO)_2\text{-}SeCO(3,5\text{-}(NO_2)_2\text{–}C_6H_3)$ (I. Jibril, F.T. Esmadi, H. Al-Masri, L. Zsolnai and G. Huttner), 109
Reactions of tetrakis(trifluoromethyl)diphosphine and bis(trifluoromethyl)phosphine with ruthenium carbonyl clusters; X-ray structure of tetraruthenium carbonyl cluster derivatives (H.G. Ang, S.G. Ang, S.W. Du, B.H. Sow and A.L. Rheingold), 13

Seven-coordinate dioxygen complexes from dioxygen addition to five-coordinate σ-phenyl, isocyanide-containing derivatives of ruthenium(II) and osmium(II). Crystal structures of $Os(\eta^2\text{-}O_2)(\eta^2\text{-}CPh{=}N\,p\text{-chlorophenyl})Cl(PPh_3)_2$ and $Os(\eta^2\text{-}SO_4)(\eta^2\text{-}CPh{=}N\,p\text{-chlorophenyl})Cl(PPh_3)_2$ (S.M. Maddock, C.E.F. Rickard, W.R. Roper and L.J. Wright), 267

Synthesis and structural characterization of $(\mu\text{-}H)_2Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C_8H_{12})$ and $(\mu\text{-}H)Ru_3(CO)_9(\mu_3\text{-}\eta^3\text{-}C_{12}H_{19})$ (K.O. Kallinen, M. Ahlgrén, T.T. Pakkanen and T.A. Pakkanen), 37

Synthesis, characterization and structure of the ethylene-bridged dimer $[Cp(CO)_2RuCH_2CH_2Ru(CO)_2Cp]$ and comparison of its reactivity with that of $[Cp(CO)_2RuCH_2CH_3]$ and $[Cp(CO)_2Ru(CH_2)_5Ru(CO)_2Cp]$: models for Fischer–Tropsch surface intermediates (M.A. Gafoor, A.T. Hutton and J.R. Moss), 233

The chemistry of compounds of the type $Ru(\eta^5\text{-}C_5Me_4Et)(CO)_2X$ (X = Cl, Br or I) (K. Tabatabaeian and C. White), 135

Schiff base

Cyclometallated compounds of palladium(II) with a 2,4-pentanedionate: the X-ray crystal structure of $[Pd\{4\text{-}(CHO)C_6H_3C(H){=}NCy\}(H_3CCOCHCOCH_3)]$ (J.M. Vila, M. Gayoso, M.T. Pereira, M. López Torres, J.J. Fernández, A. Fernández and B.E. Rivero), 51

Silane

Dibenzo[*b,e*]-7,7,8,8-tetraneopentyl- and dibenzo[*b,e*]-7,7,8,8-tetraisopropyl-7,8-disilabicyclo[2.2.2]octa-2,5-dienes: interaction with tetracyanoethylene and transition metal chlorides (S. Kyushin, M. Ikarugi, K. Takatsuna, M. Goto and H. Matsumoto), 121

Silene dimerization

Generation and conversion of the transient 1,1-bis(trimethylsilyl)-2-(2,4,6-triisopropylphenyl)-silene (F. Luderer, H. Reinke and H. Oehme), 181

Silenes

Generation and conversion of the transient 1,1-bis(trimethylsilyl)-2-(2,4,6-triisopropylphenyl)-silene (F. Luderer, H. Reinke and H. Oehme), 181

Silicon

Novel method for preparing bis(trimethylsilyl)amines via treatment with trimethylsilylamines and methyl iodide (Y. Hamada, Y. Yamamoto and H. Shimizu), 1

Preparation and lithiation of tris(*o*-tolyldimethylsilyl)methane (A.I. Almansour), 117

Preparation, spectroscopic properties and thermal stabilities of organomercury compounds containing the bulky ligand $(Me_3Si)_3C$ or $(PhMe_2Si)_3C$ (S.S. Al-Juaid, C. Eaborn, P.D. Lickiss, J.D. Smith, K. Tavakkoli and A.D. Webb), 142

Rate increases in the fluorination of bulky chlorosilanes caused by ultrasound or by water (P.D. Lickiss and R. Lucas), 167

Thermochemistry of organosilicon compounds. VII. Permethylcyclosilazanes and 1,1,3,3-tetramethyldisilazane (M.G. Voronkov, V.A. Klyuchnikov and L.I. Marenkova), 263

Unimolecular rearrangement of α-silylcarbenium ions. An ab initio study (S.G. Cho), 25

Silylacetylene

Synthesis and structure of the iron-substituted silylacetylene $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2$ and its cobalt hexacarbonyl derivative $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2 \cdot Co_2(CO)_6$ (E. Ramirez-Oliva, J. Cervantes, F. Cervantes-Lee, R.N. Kapoor and K.H. Pannell), 57

$\sigma\text{-}\pi$ conjugation

Dibenzo[*b,e*]-7,7,8,8-tetraneopentyl- and dibenzo[*b,e*]-7,7,8,8-tetraisopropyl-7,8-disilabicyclo[2.2.2]octa-2,5-dienes: interaction with tetracyanoethylene and transition metal chlorides (S. Kyushin, M. Ikarugi, K. Takatsuna, M. Goto and H. Matsumoto), 121

Symmetrization reaction

Symmetrization of methylmercury(II) and phenylmercury(II) salts induced by the tripodal ligand $N(CH_2CH_2PPh_2)_3$ (F. Cecconi, C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca), 153

Syntheses

Homo- and hetero-bridged mixed-valence dinuclear complexes which contain the fragment '$Rh(C_6F_5)_3$' (M.P. García, M.V. Jiménez, T. Luengo and L.A. Oro), 189

Synthesis

Photochemical reactions of alkynyl iron (II) complexes with carbon disulfide. Insertion of CS_2 into an iron–C(sp) bond (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), 207

The chemistry of compounds of the type $Ru(\eta^5\text{-}C_5Me_4Et)(CO)_2X$ (X = Cl, Br or I) (K. Tabatabaeian and C. White), 135

Tetrakis(trifluoromethyl)disphosphine

Reactions of tetrakis(trifluoromethyl)diphosphine and bis(trifluoromethyl)phosphine with ruthenium carbonyl clusters; X-ray structure of tetraruthenium carbonyl cluster derivatives (H.G. Ang, S.G. Ang, S.W. Du, B.H. Sow and A.L. Rheingold), 13

Tetra-ruthenium cluster

Reactions of tetrakis(trifluoromethyl)diphosphine and bis(trifluoromethyl)phosphine with ruthenium carbonyl clusters; X-ray structure of tetraruthenium carbonyl cluster derivatives (H.G. Ang, S.G. Ang, S.W. Du, B.H. Sow and A.L. Rheingold), 13

Tetrathiometalates

Synthesis and characterisation of $[(C_5Me_4R)_2NbS_2]_2M$ complexes (M = Fe, Co; R = Me, Et): organometallic tetrathiometalates with niobocene ligands (H. Brunner, M.M. Kubicki, G. Gehart, E. Lehrl, D. Lucas, W. Meier, Y. Mugnier, B. Nuber, B. Stubenhofer and J. Wachter), 291

Thermal decomposition

Preparation, crystal structure and thermal decomposition study of some trimethylsilyl esters of dicarbamic acids (R. Szalay, Zs. Böcskei, D. Knausz, Cs. Lovász, K. Újszászy, L. Szakács and P. Sohár), 93

Thermal stability

Preparation, spectroscopic properties and thermal stabilities of organomercury compounds containing the bulky ligand $(Me_3Si)_3C$ or $(PhMe_2Si)_3C$ (S.S. Al-Juaid, C. Eaborn, P.D. Lickiss, J.D. Smith, K. Tavakkoli and A.D. Webb), 142

Thermochemistry

Thermochemistry of organosilicon compounds. VII. Permethylcyclosilazanes and 1,1,3,3-tetramethyldisilazane (M.G. Voronkov, V.A. Klyuchnikov and L.I. Marenkova), 263

Thermolysis

Syntheses, spectroscopic characteristics and thermolytic rearrangements of bis-[(trimethylgermyl)methyl]platinum(II) and bis-[(trimethylstannyl)methyl]platinum(II) complexes (V. Christou and G.B. Young), 157

Tin

Syntheses, spectroscopic characteristics and thermolytic rearrangements of bis-[(trimethylgermyl)methyl]platinum(II) and bis-[(trimethylstannyl)methyl]platinum(II) complexes (V. Christou and G.B. Young), 157

Synthesis and structure of 1 : 1 complex of dimethyltin dichloride with *meso*-1,2-bis(α-diethoxyphosphorylbenzylamino)ethane (J. Lorberth, S. Wocadlo, W. Massa, E.V. Grigoriev, N.S. Yashina, V.S. Petrosyan and P. Finocchiaro), 287

Titanium

Electrochemical behaviour of some polyoxo clusters (D. Osella, M. Ravera, C. Floriani and E. Solari), 45

Trimethylsilyl
Novel method for preparing bis(trimethylsilyl)amines via treatment with trimethylsilylamines and methyl iodide (Y. Hamada, Y. Yamamoto and H. Shimizu), 1
Preparation, crystal structure and thermal decomposition study of some trimethylsilyl esters of dicarbamic acids (R. Szalay, Zs. Böcskei, D. Knausz, Cs. Lovász, K. Újszászy, L. Szakács and P. Sohár), 93
N-(Trimethylsilyl)diethylamine
Novel method for preparing bis(trimethylsilyl)amines via treatment with trimethylsilylamines and methyl iodide (Y. Hamada, Y. Yamamoto and H. Shimizu), 1
Tripodal phosphine
Symmetrization of methylmercury(II) and phenylmercury(II) salts induced by the tripodal ligand $N(CH_2CH_2PPh_2)_3$ (F. Cecconi, C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca), 153

Ultrasonic activation
Rate increases in the fluorination of bulky chlorosilanes caused by ultrasound or by water (P.D. Lickiss and R. Lucas), 167

Water
Some additional aspects of versatile starting compounds for cationic organoiron complexes: molecular structure of the aqua complex $[(\eta^5\text{-}C_5Me_4Et)Fe(CO)_2(OH_2)]BF_4$ and solution behavior of the THF complex $[(\eta^5\text{-}C_5R_5)Fe(CO)_2(THF)]BF_4$ (M. Akita, M. Terada, M. Tanaka and Y. Morooka), 255

Wittig reaction
Syntheses and structures of bis(tricarbonylchromium)-substituted α,ω-diphenylhexatriene complexes (T.M. Gilbert, F.J. Hadley, M.D. Simmons, C.B. Bauer and R.D. Rogers), 83

X-ray diffraction
Cyclometallated compounds of palladium(II) with a 2,4-pentanedionate: the X-ray crystal structure of $[Pd\{4\text{-}(CHO)C_6H_3C(H)=NCy\}(H_3CCOCHCOCH_3)]$ (J.M. Vila, M. Gayoso, M.T. Pereira, M. López Torres, J.J. Fernández, A. Fernández and B.E. Rivero), 51
Synthesis and characterization of cationic heteronuclear complexes of platinum(II) and silver(I) bridged by alkynyl ligands (I. Ara, J.R. Berenguer, J. Forniés, E. Lalinde and M.T. Moreno), 63
X-Ray diffraction
Preparation, crystal structure and thermal decomposition study of some trimethylsilyl esters of dicarbamic acids (R. Szalay, Zs. Böcskei, D. Knausz, Cs. Lovász, K. Újszászy, L. Szakács and P. Sohár), 93
X-ray diffraction structure
Synthesis and structure of the iron-substituted silylacetylene $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2$ and its cobalt hexacarbonyl derivative $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2 \cdot Co_2(CO)_6$ (E. Ramirez-Oliva, J. Cervantes, F. Cervantes-Lee, R.N. Kapoor and K.H. Pannell), 57
X-ray structure analysis
Crystallographic evidence of hexacoordination at phosphorus via intramolecular coordination of donor groups on phosphane and phosphane sulphide (M. Chauhan, C. Chuit, R.J.P. Corriu, C. Reyé, J.-P. Declercq and A. Dubourg), 173